' Version: 2.0



1/6

Material Safety Data Sheet

1. COMPANY IDENTIFICATION

Product Name PLA filament

Product Use Printing material for XYZprinting 3D printer

Company XYZprinting, Inc.

Address No.147, Sec. 3, Beishen Rd., Shenkeng Dist., New Taipei City,

Taiwan (R.O.C.)

 Information Phone No.
 886-2-7705 8001

 Emergency Phone No.
 886-2-7705 8001

2. HAZARD IDENTIFICATION

Potential health effects

Eye contact Contact with eyes may cause irritation.

Skin contact Substance may cause slight skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Inhalation Inhalation of dust may cause shortness of breath, tightness of the

chest, a sore throat and cough.

Target organ effects There were no target organ effects noted following ingestion or

dermal exposure in animal studies.

Sensitization Did not cause sensitization on laboratory animals

Specific hazards No information available

Environmental precautions Not determined See Section 12 for more information.

Flammability Fine dust dispersed in air may ignite.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| | CAS Number | Classification | | |
|-------------------|------------|------------------|----------------|----------------|
| Substance Name | | Concentration(%) | Directive | Regulation |
| | | | 67/548/EEC | EC No |
| | | | 0770407220 | 1272/2008 |
| Polylactide resin | 9051-89-2 | 95%~100% | Not Classified | Not Classified |
| Acrylic polymer | - | <5% | - | - |



4. FIRST AID MEASURES

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Call a physician immediately.

Skin contact Rinse immediately with plenty of water for at least 15 minutes. If skin

irritation persists, call a physician. Cool skin rapidly with cold water after

contact with hot polymer.

Inhalation Move to fresh air. Call a physician immediately.

Ingestion Drink water as a precaution. Never give anything by mouth to an unconscious

person. Do not induce vomiting without medical advice. Call a physician

immediately.

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammability

Autoignition temperature 388°C

Flammability Limits in Air

Flammable limits in air - lower (%) Not applicable
Flammable limits in air - upper (%) Not applicable

Suitable extinguishing media Foam. Water. Carbon dioxide (CO2). Dry chemical. Alcohol

resistant foams are preferred if available. General-purpose synthetic foams (including AFFF) or protein foams may

function, but much less effectively.

Extinguishing media which must not

be used for safety reasons

No information available

Hazardous decomposition products Burning produces obnoxious and toxic fumes Aldehydes

Carbon monoxide (CO) carbon dioxide (CO2)

Special protective equipment for

firefighters

As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear.

Under fire conditionsCool containers / tanks with spray water. Water mist may be

used to cool closed containers.

Other information Fine dust dispersed in air may ignite. Risks of ignition

followed by flame propagation or secondary explosions

shall be prevented by avoiding accumulation of dust, e.g. on





floors and ledges.

6. ACCIDENTAL RELEASE MEASURES

Engineering measures Where reasonably practicable this should be achieved by the use of

local exhaust ventilation and good general extraction. Provide appropriate exhaust ventilation at places where dust is formed.

Control parameters None

7. HANDLING AND STORAGE

Safe handling advice Avoid contact with skin and eyes. Avoid dust formation. Workers

should be protected from the possibility of contact with molten material during fabrication. Low hazard for usual industrial or

commercial handling. Use personal protective equipment. See Section

8.

Storage Store in cool place. Keep at temperatures below 122 °F (50 °C).

No special restrictions on storage with other products

Precautions No special precautions required

8. EXPOSURE CONTROLS MEASURES

Engineering measures Where reasonably practicable this should be achieved by the use of

local exhaust ventilation and good general extraction. Provide appropriate exhaust ventilation at places where dust is formed.

Control parameters None

PERSONAL PROTECTIVE EQUIPMENT

Eye protection Safety glasses with side-shields. Goggles.

Skin and body protection Impervious clothing.

Respiratory protection Respirator must be worn if exposed to dust. Wear respirator with dust

filter. Respiratory protection is needed if any of the exposure limits in Section 2 are exceeded. Consult an industrial hygiene professional prior to respirator selection and use. Use a positive-pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying

respirators may not provide adequate protection.

WARNING: Air purifying respirators do not protect workers in

oxygen-deficient atmospheres.

Hand protection Preventive skin protection.

Hygiene measures Avoid contact with skin, eyes and clothing.



4/6

Exposure limits See Section 2.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Spool, string, strand

ColorWhitePhysical stateSolidOdorSlight

pH Not applicable
 Vapor pressure Not determined
 Vapor density Not determined
 Evaporation rate Not determined

Density 1.24 g/cc

Boiling point/rangeNot applicableDecomposition temperature482 °F (250 °C)Melting point/rangeNot determined

Water solubility Insoluble
Solubility in other solvents None known

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions

Conditions to avoid Temperatures above 446 °F (230 °C).

Materials to avoid Oxidizing agents. Strong bases.

Hazardous decomposition products Burning produces obnoxious and toxic fumes. Aldehydes.

Carbon monoxide (CO). Carbon dioxide (CO2).

Polymerization Not applicable

11. TOXICOLOGICAL INFORMATION

Principle Routes of Exposure Eye contact. Skin contact. Inhalation. Ingestion.

Acute toxicity There were no target organ effects noted following

ingestion or dermal exposure in animal studies.

Local effects May cause eye/skin irritation. Product dust may be

irritating to eyes, skin and respiratory system. Caused mild to moderate conjuctival irritation in eye irritation studies using rabbits. Caused very mild redness in dermal

irritation studies using rabbits (slightly irritating).

Ingestion may cause gastrointestinal irritation, nausea,



5/6

vomiting and diarrhea.

Long term toxicity Did not cause skin allergic reactions in skin sensitization

studies using guinea pigs.

Specific effects May cause skin irritation and/or dermatitis. Ingestion may

cause gastrointestinal irritation, nausea, vomiting and

diarrhea. Inhalation of dust may cause shortness of breath,

tightness of the chest, a sore throat and cough. Burning

produces irritant fumes.

Mutagenic effects Not mutagenic in AMES Test.

Reproductive toxicityNo data is available on the product itself. **Carcinogenic effects**No data is available on the product itself.

Target organ effects There were no target organ effects noted following

ingestion or dermal exposure in animal studies.

Skin LD50/dermal/rabbit > 2000 mg/kg

Ingestion LD50/oral/rat > 5000 mg/kg

12. ECOLOGICAL INFORMATION

Mobility No data available

Bioaccumulation Does not bioaccumulate. Inherently biodegradable.

Ecotoxicity effects EC50/72h/algae > 1100 mg/L

13. <u>DISPOSAL CONSIDERATIONS</u>

Waste from residues / unused products: In accordance with local and national regulations.

Do not contaminate ponds, waterways or ditches with chemical or used container. Contact manufacturer.

THE COMPANY HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION 2

Contaminated packaging: Empty remaining contents. Do not re-use empty containers. Empty containers should be transported/delivered using a registered waste carrier to local recyclers for disposal.

14. TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

Proper shipping name Not regulated as a hazardous material.



IMDG

Proper shipping name None

Hazard class Not regulated.

UN/Id No. None

Packing group None

ICAO/IATA

Proper shipping name None

Hazard Class Not regulated.

Packing group None

15. REGULATORY INFORMATION

(Not meant to be all inclusive--selected regulations represented)

NOTICE: The information herein is presented in good faith and believed to be accurate. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

U.S. REGULATIONS

Sara 313 title III: Not Listed TSCA Inventory List: Listed

STATE REGULATIONS

California Proposition 65: Not Listed

INTERNATIONAL INVENTORIES

Canada DSL Inventory List Listed

REACH/EU EINECS List Components are in compliance with and/or are listed.

Japan (ECL) Listed

Australia (AICS) Listed

Korean chemical inventory Listed

Philippines (PICCS) inventoryNot Listed

China inventory of existing chemical Listed

substances list

16. OTHER INFORMATION

None